



คู่มือการใช้งานเบื้องต้น COPYLEAKS โปรแกรมตรวจสอบการคัดลอกผลงานทางวิชาการ


1. เข้า website : www.copyleaks.com



2. เข้าสู่ระบบ โดยการเลือกคลิกปุ่ม “LOGIN” มุมบนด้านขวาของหน้าเพจ ใส่ Email และพาสเวิร์ด ของผู้ใช้ที่ได้ตั้งค่าลงทะเบียนไว้ คลิกปุ่ม “LOGIN”



3. หน้าแรก เป็นหน้า HOME ประกอบด้วย 3 ส่วนหลัก ได้แก่



b.

a. ด้านบนของหน้าเพจ แสดงแถบแสดงข้อมูลถาวร

- i. บนซ้าย มี LOGO COPYLEAKS สามารถกลับมาหน้าแรก หรือ HOME ได้เสมอ เมื่อคลิกที่ LOGO COPYLEAKS
- ii. บนกลาง ระบุโควตาแสดงจำนวนหน้าเอกสารที่สามารถนำมาตรวจสอบได้ของบัญชีผู้ใช้นี้
- iii. บนขวา มี logo แสดงอักษรย่อของบัญชีผู้ใช้งาน
 1. สามารถคลิกเข้าไป เลือก > Settings เพื่อตั้งค่าต่าง ๆ ในบัญชีผู้ใช้งาน
 2. สามารถคลิกเข้าไป เลือก > Sign out เพื่อออกจากระบบ

b. ด้านซ้ายของหน้าเพจ คือ แถบเมนูการใช้งานถาวร แสดงฟังก์ชันการใช้งาน ซึ่งแสดงอยู่ถาวร สามารถคลิกเข้าใช้งานได้ตลอดเวลาจากทุกหน้าการทำงาน มีเมนูการใช้งานดังต่อไปนี้


- | | |
|-------------------|-----------------------|
| i. New Scan | vi. Text Compare |
| ii. Scans | vii. Compare Sites |
| iii. Recent Scans | viii. Websites owner |
| iv. Teams | ix. Explore Copyleaks |
| v. Repositories | |

c. ส่วนกลางหน้าเพจ คือ Dashboard แสดง 6 ไอคอนภาพฟังก์ชันการใช้งานหลัก ดังต่อไปนี้

- | | |
|--------------------|----------------|
| i. NEW SCAN | iv. SETTINGS |
| ii. MY SCANS | v. HELP CENTER |
| iii. COMPARE FILES | vi. EXPLORE |


ส่วนกลางหน้าเพจ หรือ Dashboard จะเปลี่ยนค่าไปตามการเลือกฟังก์ชันการใช้งานต่าง ๆ และแสดงฟังก์ชันการทำงานถัดไป

4. เริ่มต้นตรวจสอบเอกสาร ได้โดย คลิกที่ ฟังก์ชัน “New Scan” จากแถบเมนูถาวร หรือจาก Dashboard/Home ส่วนกลางหน้าเพจ คือ Dashboard จะแสดง 6 ไอคอนภาพฟังก์ชันการใช้งานถัดไปในฟังก์ชัน NEW SCAN ให้เลือกใช้ตามความต้องการของผู้ใช้ได้แก่





- FILES ตรวจสอบจากไฟล์เอกสาร
- FREE TEXT ตรวจสอบจากข้อความบทความที่คัดลอกมา หรือ บทความที่พิมพ์ขึ้นมาใหม่ ณ ขณะนั้น
- URL ตรวจสอบจากหน้าเว็บไซต์โดยวาง URL คือที่อยู่เว็บแบบสมบูรณ์ที่ใช้ค้นหาหน้าเว็บ
- SOURCE CODE ตรวจสอบเอกสาร หรือ Code ทางคอมพิวเตอร์โปรแกรม
- TEXT COMPARE ตรวจสอบไฟล์เอกสาร 2 ฉบับเทียบซึ่งกันและกัน
- TEXT IMAGES ตรวจสอบข้อความหรือบทความที่แทรกในไฟล์รูปภาพ

5. คลิกเลือก ICON “FILES” จาก Dashboard/New-Scan จะปรากฏหน้าดังนี้



เลือกคลิก “Upload Files” หรือ ใช้เมา์ลากไฟล์ที่ต้องการนำมาตรวจสอบมาใส่ในกรอบสี่เหลี่ยม “Drag and drop files”

6. ฟังก์ชัน ตั้งค่าละเว้นการตรวจเช็คในส่วนที่ไม่ต้องการให้แสดงค่าการซ้ำของบทความ ให้คลิกที่ช่อง IGNORE ตามรูปด้านล่าง (คลิกที่คำว่า NONE)




เลือกติ๊กให้เครื่องหมายถูกปรากฏหน้าช่อง ส่วนที่ต้องการให้ละเว้นการตรวจจับคำซ้ำกับเอกสารอื่นๆ สามารถเลือกละเว้นได้ 4 ส่วน ได้แก่

- References เอกสารอ้างอิง
- Quotes คำจำกัดความ
- Titles หัวข้อบทความ
- Table of Contents หน้าสารบัญ

เมื่อติ๊กเลือกยกเว้นจนเกิดเครื่องหมายถูกในกล่องสี่เหลี่ยมที่ต้องการแล้วให้กด SAVE บันทึกการตั้งค่า


7. ไฟล์ที่จะนำมาตรวจสอบและ Upload แล้ว จะปรากฏในหน้า Dashboard



เลือกให้โปรแกรมตรวจสอบไฟล์เอกสาร โดย


- i. ให้คลิกเลือกเครื่องหมายถูกให้ปรากฏด้านหลังไฟล์เอกสารที่นำมาตรวจสอบ
- ii. ให้คลิกไอคอนสีฟ้าคำว่า “SCAN”

8. แสดงผลลัพธ์การตรวจสอบ




เนื่องจากเอกสารตัวอย่างที่นำมาตรวจสอบ เป็นเอกสารที่คัดลอกมาจากมาจาก Website “onlinelibrary.wiley.com และ docero.com” ทำให้พบความการซ้ำสูงเกือบ 100% ผู้ใช้สามารถ คลิกที่เครื่องหมาย

เพื่อแสดงแหล่งที่มาเอกสารต้นฉบับทั้งหมด และเลือกคลิกเพื่อนำเครื่องหมายออกจากแหล่งที่มาที่ไม่ต้องการให้แสดงผลการค้นหา (ดังรูปตัวอย่างที่แสดงด้านล่าง)



คลิกเพื่อนำเครื่องหมายถูกออก จากแหล่งที่มาต้นฉบับเอกสารที่นำมาตรวจสอบ คือ จาก Website onlinelibrary.wiley.com และ docero.com และ Copyleaks Internal Database (ผู้เขียนเอกสารต้นฉบับเคยตรวจสอบต้นฉบับในระบบ Copyleaks แล้วจึงมีข้อมูลอยู่ในฐานข้อมูลภายในของโปรแกรม Copyleaks)



คลิกปุ่ม SAVE

โปรแกรมจะประมวลผลผลลัพธ์ โดยเปรียบเทียบเอกสารที่นำมาตรวจสอบ กับ ฐานข้อมูลที่ใช้เลือกให้แสดงค่าเปรียบเทียบ ผลลัพธ์ปรากฏดังภาพด้านล่าง แสดงค่า

- 8.1 ค่าเป็นเปอร์เซ็นต์การเทียบซ้ำ (Similarity Index) จากเอกสารตัวอย่าง ตรวจพบคำซ้ำ 608 คำจากจำนวนคำ 1,757 คำ (คิดเป็น 34.6% MATCH)
- 8.2 ค่าการเทียบซ้ำแสดงเป็นแถบสีความเข้มระดับต่าง ๆ โดย
 - i. สีแดงเข้ม (Identical) คือ การตรวจพบคำหรือประโยคที่เหมือนกันทุกประการเทียบกับเอกสารต้นฉบับ
 - ii. สีแดงอ่อน (Minor Changes) คือ การตรวจพบคำหรือประโยคที่เหมือนกันเพียงบางส่วนเทียบกับเอกสารต้นฉบับ
 - iii. สีเหลืองอ่อน (Related meaning) คือ การตรวจพบคำหรือประโยคที่คล้ายคลึง อาจมีการใช้คำซ้อน คำซ้ำ คำที่มีความหมายคล้ายคลึงกัน หรือเปลี่ยนรูปแบบประโยค เทียบกับเอกสารต้นฉบับ
 - iv. สีขาว (Omitted Words) คือ การตรวจพบว่ามีความตั้งใจทิ้ง หรือดึงคำออกบางคำออกจากประโยค เทียบกับเอกสารต้นฉบับ
- 8.3 SUBMITTED TEXT ด้านซ้ายของหน้าจอ แสดงเอกสารที่ผู้ใช้นำมาตรวจสอบ
- 8.4 RESULTS ด้านขวา แสดงเอกสารต้นฉบับ

The screenshot displays the OPSE web interface. At the top, the user is logged in as 'Team Member Suthapa_OPSE'. The main area shows scan properties for a document with 11 results found and 608 similar words. A pie chart indicates the similarity distribution: 30.8% Identical (red), 2.8% Minor changes (light red), 1% Related meaning (yellow), and 0% Omitted Words (white). A large '34.6% MATCH' is highlighted in yellow. Below this, the 'SUBMITTED TEXT' section shows a document snippet with a blue arrow pointing to the title 'Life in the pandemic: Social isolation and mental health'. The 'RESULTS' section on the right shows a list of similar documents, with a blue arrow pointing to the first result: 'Microsoft Word - 2-Tirinnanzi'.

ผู้ใช้งานสามารถ คลิกเลือกเอกสารต้นฉบับเพื่อเข้าไปดูจุดที่แสดงผลพบการคัดลอกได้ โดย COPYLEAKS สามารถเปรียบเทียบได้แบบหน้าต่อหน้าจากทุกแหล่งที่มา เพื่อความง่ายในการแสดงค่าผลลัพธ์และเข้าถึงข้อมูล (User-friendly Interface)

Home > My Scans > jcn.15290_life in Pandamic2p.pdf

Team Member
Suthapa_OPSE

SCAN PROPERTIES

DONE
SCANNED 15 MINUTES AGO

11
RESULTS FOUND *

608
SIMILAR WORDS

Identical 30.8%
Minor changes 2.8%
Related meaning 1%
Omitted Words 0%

34.6%
MATCH

SUBMITTED TEXT

DOI: 10.1111/jcn.15290

EDITORIAL

Journal of
Clinical Nursing WILEY

Life in the pandemic: Social isolation and mental health

Quarantine or physical isolation, used for centuries to contain the spread of infection, isolates those who have or may have been infected by a contagious disease to control or limit contamination. The COVID-19, a novel coronavirus first reported in Wuhan, China, in late 2019, has rapidly spread across the globe becoming a pandemic. Modern quarantine strategies have been imposed globally in an attempt to curtail the spread of the COVID-19 infection including short- to medium-term lockdowns, voluntary home curfew, restriction on the assembly of groups of people, cancellation of planned social and public events, closure of mass transit systems and other travel restrictions. These restrictions imposed because of the COVID-19 outbreak, have caused significant disruption globally, and to individuals, families, communities and whole countries. They

people who were previously well. These can include acute stress disorders, irritability, insomnia, emotional distress and mood disorders, including depressive symptoms, fear and panic anxiety and stress because of financial concerns, frustration and boredom, loneliness, lack of supplies and poor communication (Bai et al., 2004; Brooks et al., 2020; Cava, Fay, Beanlands, McCay, & Wignall, 2005; Desclaux, Badji, Ndione, & Sow, 2017; Hawryluck et al., 2004). Moreover, the longer a person is confined to quarantine, the poorer the mental health outcomes; specifically, symptoms of post-traumatic stress disorder (PTSD), avoidance behaviour and anger, may be seen (Brooks et al., 2020). Longer times in quarantine are particularly associated with increasing symptoms of PTSD, which may indicate that quarantine itself can be perceived and experienced as a traumatic

RESULTS

Isolation and Mental Health
<https://www.thedadsnet.com/isolation-and-...>
Pandora Wilson • TheDadsNet • May 13, 2021
Skip to content Search for: DadAges Expecting New Dads Age 0-1 Age 2-3 Age 4-5 Age 6-9 Age 10-13 Age 14-17 Age 18+ Sex and Rela...

6% similar words

Medical Studies during the COVID-19 Pandemic: The Impact of Digital Learning
...
<https://www.ncbi.nlm.nih.gov/pmc/articles/P...>
Warning: The NCBI web site requires JavaScript to funct...

อีกทั้งยังสามารถ ลากเมาท์ไปคลิกที่รูปประโยคที่ต้องการดูแบบเฉพาะเจาะจง ตามรูปด้านล่าง จะเห็นว่า เมื่อต้องการตรวจสอบประโยคใด โดยเฉพาะเจาะจง โปรแกรมจะ highlight แถบสีประโยคนั้นเป็นสีเหลืองเข้ม ให้ผู้ใช้งานอ่านค่าได้อย่างชัดเจน

Home > My Scans > jcn.15290_life in Pandamic2p.pdf

Team Member
Suthapa_OPSE

SCAN PROPERTIES

DONE
SCANNED 16 MINUTES AGO

11
RESULTS FOUND *

109
SIMILAR WORDS

Identical 5.5%
Minor changes 0.7%
Related meaning 0.1%
Omitted Words 0%

6.2%
MATCH

SUBMITTED TEXT

Quarantine or physical isolation, used for centuries to contain the spread of infection, isolates those who have or may have been infected by a contagious disease to control or limit contamination. The COVID-19, a novel coronavirus first reported in Wuhan, China, in late 2019, has rapidly spread across the globe becoming a pandemic. Modern quarantine strategies have been imposed globally in an attempt to curtail the spread of the COVID-19 infection including short- to medium-term lockdowns, voluntary home curfew, restriction on the assembly of groups of people, cancellation of planned social and public events, closure of mass transit systems and other travel restrictions. These restrictions imposed because of the COVID-19 outbreak, have caused significant disruption globally, and to individuals, families, communities and whole countries. They have affected much (if not all) of the world's population; drastically altering what is familiar, and complicating aspects of daily life that were previously simple and uncomplicated. For many people, daily life is changed dramatically, and the "normal" ways of life as we know them are suspended indefinitely.

Imposed quarantine or isolation is an unfamiliar and unpleasant experience that involves separation from friends and family, and a departure from usual everyday routines. Many usual activities are prohibited, and in some settings, such as in corrections and other prison contexts, isolation is a form of punishment or censure. Isolation is known to cause psychosocial problems, especially for those recognized as vulnerable. While all humans are at risk of psychological harm when kept in isolation, the most vulnerable in these situations are children and adolescents, older adults, minority groups, those from lower socio-economic groups, females and people with pre-existing mental health conditions (Perris, McCabe, Everly & Links, 2009).

Changes to the usual ways of life can make people feel anxious and unsafe—feelings of being unsafe can be associated with the disease-fear contagion nexus, for example not knowing the cause or progression of the disease and outcomes, rumours and misinformation that can lead to discrimination against or marginalization of peo-

people who were previously well. These can include acute stress disorders, irritability, insomnia, emotional distress and mood disorders, including depressive symptoms, fear and panic anxiety and stress because of financial concerns, frustration and boredom, loneliness, lack of supplies, and poor communication (Bai et al., 2004; Brooks et al., 2020; Cava, Fay, Beanlands, McCay, & Wignall, 2005; Desclaux, Badji, Ndione, & Sow, 2017; Hawryluck et al., 2004). Moreover, the longer a person is confined to quarantine, the poorer the mental health outcomes; specifically, symptoms of post-traumatic stress disorder (PTSD), avoidance behaviour and anger, may be seen (Brooks et al., 2020). Longer times in quarantine are particularly associated with increasing symptoms of PTSD, which may indicate that quarantine itself can be perceived and experienced as a traumatic event (Brooks et al., 2020).

The negative mental health impacts do not simply stop but continue following the quarantine period. Following the severe acute respiratory syndrome (SARS) health crisis, a range of post-traumatic stress disorder (PTSD) symptoms were reported, including avoidance behaviours, re-experiencing, and hyperarousal (Reynolds et al., 2003). In this current situation, health personnel are likely to experience emotional distress associated with a number of factors including the scale of disease and death they are encountering; shortages of staff and essential resources including personal protective equipment; grief and moral distress associated with care rationing and other factors (Jackson et al., 2020). In addition to working in unsafe, under-resourced and morally distressing

Isolation and Mental Health




"Social isolation associated with quarantine can be the catalyst for many mental health issues even in people who were previously well. These can include acute stress disorders, irritability, insomnia, emotional distress, and mood disorders, including depressive symptoms, fear, and panic anxiety, and stress because of financial concerns, frustration, and boredom, loneliness, lack of supplies, and poor communication"

Now that we are allowed back outside, this should be all good, but according to Kim and Deborah, there are still consequences of this long isolation. To look at what might occur, they looked at what happened following the SARS epidemic of 2003;




Following the severe acute respiratory syndrome (SARS) health crisis

9. การส่งคำรายงานผลการตรวจสอบ

9.1 คลิกที่เครื่องหมาย Download เพื่อ บันทึกเอกสารแสดงรายงานผลการตรวจสอบได้มีรูปแบบเป็น PDF File (ดังตัวอย่างรูปด้านล่าง)





9.2 คลิกที่เครื่องหมาย Share เพื่อ ส่งอีเมลผลงานถึงอาจารย์ผู้สอนโดยตรง แสดงหน้าผลลัพธ์การตรวจสอบ (ดังตัวอย่างรูปด้านล่าง)





10. รายงานผลการตรวจจสอบ

10.1 จาก PDF file ที่บันทึกไว้ในคอมพิวเตอร์ของผู้ใช้งาน (ตามรูปที่แสดงด้านล่างนี้)



10.2 จากอีเมลของอาจารย์ผู้สอน ที่ผู้ส่งผลงานผ่านทางอีเมล (ตามรูปที่แสดงด้านล่างนี้)



เอกสารคู่มือการใช้งานเบื้องต้น COPYLEAKS โปรแกรมตรวจสอบการคัดลอกผลงานทางวิชาการนี้ แสดงตัวอย่างหน้าที่ฟังก์ชันการทำงาน บางส่วนของโปรแกรม

COPYLEAKS ยังมีฟังก์ชันการทำงานที่หลากหลายด้วยเทคโนโลยีอัจฉริยะทำงานด้วยระบบปัญญาประดิษฐ์ (AI : Artificial Intelligence) และ Machine Learning สนใจเรียนรู้การใช้งานเพิ่มเติม ติดต่อสอบถามได้ที่บริษัท โอเพ่นเซอร์วิสดาต้า จำกัด

คุณศุภรภา งามไกรวัล
Tel : 092 6235393
email : judy@opse.co.th
line id : [opse_th](https://www.line.me/tv/opse_th)